

Social and Psychological Influences on Emerging Adult Drinking Behavior

HELENE RASKIN WHITE, PH.D., AND KRISTINA JACKSON, PH.D.

Emerging adulthood, the transitional period between high school and young adulthood, is marked by the formation of identity, the establishment of more mature interpersonal and intimate relationships, and the transition to new adult-type roles. It also is a time of increased alcohol use and abuse, which can have long-term effects on both physical and psychological well-being and may have implications for the attainment of traditional adult roles. Gender, race/ethnicity, marital status, college, employment, peer and family influences, individual temperament, and attitudes about drinking all influence drinking behavior in this population. Attending college may represent a special risk to emerging adults, as increases in alcohol availability and acceptance of drinking on college campuses may lead to increases in heavy drinking among students. The nonstudent population of emerging adults also is an important target for preventive interventions, especially because people in this segment of the population may be less likely to mature out of heavy drinking patterns established during adolescence. Thus, the transition from high school to young adulthood appears to be an ideal developmental turning point during which to target interventions. KEY WORDS: young adult; young adulthood; undergraduate student; drinking behavior; AOD (alcohol and other drug) use, abuse and dependence; heavy drinking; AOD use pattern; causes of AODU (alcohol and other drug use); AOD effects and consequences; AODR (alcohol and other drug related) interpersonal and societal problems; intervention; prevention; social costs and benefits of AOD; social behavior; perception of norms

Arnett (2000) referred to the transitional period from high school to young adulthood as “emerging adulthood.” This stage of life is defined as the period from the end of secondary school through the attainment of adult status (Arnett 2005), covering approximately ages 18 to 25, although it can extend longer. Emerging adulthood is marked by frequent change and exploration. It also is a period of increased alcohol use and abuse (Arnett 2000; Bachman et al. 1997).

This article examines the developmental changes and related drinking patterns and problems that occur during emerging adulthood and the sociodemographic and psychosocial factors that influence drinking in this population. It

concludes with a discussion of the implications of this research for prevention.

EMERGING ADULTHOOD

Numerous historical changes have caused emerging adulthood to become a distinct period in the life course in industrialized countries. One major contributor is the fact that people are waiting longer before marrying. In the United States, the median age of marriage increased from 20 for women and 22 for men in 1950 to 25 for women and 27 for men in 2000 (Arnett 2005). Several reasons may account for this delay in marriage, including more people seeking college and postgraduate education, the inven-

tion of the birth control pill and changing standards of sexual morality, changes in women’s roles, and an increased desire

HELENE RASKIN WHITE, PH.D., is a professor at the Center of Alcohol Studies, Rutgers, The State University of New Jersey, in Piscataway, New Jersey.

KRISTINA JACKSON, PH.D., is a research assistant professor in the Department of Psychological Sciences, University of Missouri–Columbia, Columbia, Missouri.

Work on this paper was supported by National Institute on Drug Abuse grants DA–17552 and DA–17842, and by National Institute on Alcohol Abuse and Alcoholism grant AA–13938.

for independence and freedom among youth (Arnett 2005).

Emerging adulthood is marked by a variety of developmental tasks, including identity formation and the establishment of more mature interpersonal and intimate relationships (Arnett 2000; Schulenberg and Maggs 2002). During this period, young people also obtain the education and training needed for future careers. These tasks must be completed to make a successful transition to adulthood, and failure to master them can result in frustration and stress, which can lead to a variety of unhealthy behaviors, including increased alcohol use. Paradoxically, alcohol use can impede the successful mastery of these developmental tasks and may exacerbate failures and increase stress (Schulenberg et al. 2003).

Emerging adulthood often is characterized by changes in residence, employment or education, and romantic relationships. It is a time of identity exploration and self-focus; initiation of new roles; development of new social networks; separation from families and old friends; increased choices and opportunities; increased independence; freedom from time constraints and social control; and decreased parental support, guidance, and monitoring (Arnett 2005; Schulenberg and Maggs 2002).

Arnett (2005) has suggested that increases in drinking during emerging adulthood are normative in Western society because of the many developmental changes taking place at this age. Social control lessens during this period, and people become freer to choose behaviors (e.g., heavy drinking) and lifestyles that are not constrained by others. Along with identity exploration and trying out various behaviors, emerging adults may seek out the altered states of consciousness that different substances can induce. In addition, constructing a stable identity can be confusing and difficult, and some emerging adults may use substances to relieve their identity confusion. Emerging adulthood also is a period of instability, and people often are involved in unstable social networks. Clearly, no one set of norms governs drinking behavior. People are free to make their own decisions independently and to do things that may not be accept-

able in either adolescence or young adulthood,¹ including using illegal substances. In sum, the developmental changes taking place during emerging adulthood can lead to increased drinking as a means of dealing with greater stress or as a result of the increased freedom that allows emerging adults to drink heavily. In addition, the weakening of parental monitoring and increased importance of peer relationships can lead to increased alcohol consumption (Borsari and Carey 2001) (see the section "Peer Influences," below). Finally, in the United States, at age 21 people can legally obtain and consume alcohol, which contributes to increased access and opportunities to use alcohol.

DRINKING PATTERNS AND PROBLEMS DURING EMERGING ADULTHOOD

Many people begin to use alcohol before they graduate from high school. However, peak use of alcohol occurs during emerging adulthood, and this excessive drinking appears to be normative behavior. In North America and many other industrialized societies, binge² or excessive drinking during emerging adulthood is condoned, and perhaps even encouraged, particularly for those attending college (Arnett 2005). Data from the Monitoring the Future (MTF) study across several years indicate that 30-day prevalence (use in the last 30 days) peaks at ages 21–22 (at 85 percent for men and 76 percent for women), and heavy drinking (drinking five or more drinks in a row in the past 2 weeks) peaks at ages 21–22 for men (at 55 percent) and at ages 19–20 for women (at 33 percent) and then declines linearly into young adulthood (Bachman et al. 1997).

Drinking during emerging adulthood can serve positive functions, such as facilitating friendship formation, but people also experience high rates of alcohol-related problems during this period. For example, people ages 18 to 29 have the highest rates of past-year alcohol abuse and dependence (Grant et al. 2004). Alcohol-related problems during emerging adulthood can have long-term effects on physical and psy-

ALCOHOL USE AMONG EMERGING ADULTS

- Among people ages 21–22, 85 percent of men and 76 percent of women have used alcohol within the last 30 days (Bachman et al. 1997).
- 55 percent of men ages 21–22 and 33 percent of women ages 19–20 drank five or more drinks in a row in the past 2 weeks (Bachman et al. 1997).
- People ages 18–29 have the highest rates of past-year alcohol abuse and dependence (Grant et al. 2004).

chological well-being (Schulenberg et al. 2003) and can have implications for the attainment of traditional adult roles (e.g., heavy drinking leads to poor academic outcomes, which in turn lead to less favorable occupational opportunities). Numerous studies have identified problems related to alcohol use, including fatal and nonfatal injuries and overdoses, academic/vocational failures, violence and other crime, unintended pregnancies, and sexually transmitted diseases (Perkins 2002a; Hingson et al. 2002), although the extent to which alcohol use causes some of these problems (e.g., academic problems) remains unclear (Jackson et al. 2005). Rather, alcohol use and problems during emerging adulthood may be the result of some common factor (such as lower academic motivation, in the case of academic problems) (Schulenberg et al. 2003). Impaired driving, another serious problem associated with drinking, is especially prevalent among emerging adults (Hingson et al. 2002). In addition,

¹ Young adulthood is the period following emerging adulthood. It begins with the adoption of adult roles, such as marriage, parenthood, and a stable occupational path. It generally begins in the late twenties and continues through the thirties (Arnett 2000).

² Binge drinking is defined by the National Institute on Alcohol Abuse and Alcoholism as consuming five or more drinks for men, or four or more drinks for women in about 2 hours.

about half of college students report past-year hangovers, nausea, and vomiting as a result of drinking, and about one-fourth report blackouts (or memory loss while intoxicated) (Jackson et al. 2005). Furthermore, excessive drinkers can create problems for others, including physical and sexual assaults, insults and humiliation, preventing others from studying/sleeping, and vandalism (Jackson et al. 2005; Perkins 2002a).

CHANGES IN DRINKING DURING EMERGING ADULTHOOD

The transition out of high school may be marked by increases in alcohol use and intoxication (Baer et al. 1995; White et al. 2005). Even men who drank heavily in high school may drink more and become intoxicated more often after high school (Baer et al. 1995). Drinking patterns during the senior year of high school generally are useful in predicting post-high school drinking behavior, although research results vary (Bachman et al. 1997). Some studies have found a high degree of individual stability in problem drinking from the early twenties into adulthood (Jackson et al. 2001), whereas others have not (e.g., Temple and Fillmore 1986).

Most emerging adults will outgrow heavy drinking and related problems before adulthood, on their own and without treatment (Marlatt et al. 1998). (For more detail on changes in drinking during this period, see this issue's article by Maggs and Schulenberg, and for a discussion of maturing out of alcohol use, see the sidebar by O'Malley.)

SOCIODEMOGRAPHIC CORRELATES OF HEAVY DRINKING AMONG EMERGING ADULTS

Sociodemographic characteristics—including gender, race/ethnicity, marital status, parenthood, college status, and employment—all influence drinking patterns among emerging adults, as discussed in the following sections.

Gender

Research consistently shows that most indexes of alcohol use, and especially heavy drinking, are higher among males than females (Johnston et al. 2004; O'Malley and Johnston 2002). Of the 19- to 30-year-olds in the MTF study, 45 percent of men and 26.7 percent of women reported heavy drinking (defined in that study as five or more drinks on one occasion) in the past 2 weeks, and 7.4 percent of men and 3 percent of women reported daily drinking. In addition, the gender disparity in heavy drinking increases between late adolescence (i.e., senior year of high school) and young adulthood (Johnston et al. 2004). In contrast, the rates of alcohol problems among male and female college students tend to converge (Jackson et al. 2005), although men still report more problems in the public domain (e.g., public risk-taking, aggression, legal problems, and problems that endanger others) compared with women.

Race/Ethnicity

Racial and ethnic differences in drinking and related problems have been documented in the literature. In general, White and Native American emerging adults drink more than African Americans and Asians, and drinking rates for Hispanics fall in the middle. In addition, in contrast to the peak in drinking among Whites around ages 19–22, heavy drinking among African Americans and Hispanics peaks later and persists longer into adulthood (Caetano and Kaskutas 1995). Caetano and Kaskutas suggest that this ethnic difference results, in part, from the fact that Whites see heavy drinking as part of a youthful lifestyle, whereas Hispanics tend to see heavy drinking as a “right” they earn when they reach maturity.

Marital Status and Parenthood

Bachman and colleagues (1997) examined changes in heavy drinking (defined in that study as five or more drinks in one sitting in the last 2 weeks) and in current drinking (defined as use in the past 30 days) from the senior year of

high school into the early twenties. These researchers found that being married had a strong effect on changes in drinking behavior after high school graduation even when they controlled for other relevant factors. Married women had the greatest decreases in drinking behavior, and married men, compared with men in all other categories of living arrangements (i.e., cohabiting or living with parents, in a dormitory, alone, or in other arrangements), showed the fewest increases. The data also indicated that becoming engaged (i.e., making a commitment to a relationship) had a similar but less powerful effect on drinking compared with marriage, whereas becoming divorced led to increased drinking behavior. Drinking rates among cohabitants did not decline as much as they did in married people; however, drinking also did not increase as much as it did among those who were unmarried. It should be noted, however, that the cohabitants were the heaviest drinkers in high school.

Being a parent also was related to reductions in alcohol use for both men and women, although a large part of this effect was simply a result of getting married. Most women who became pregnant eliminated their alcohol use, although most of their husbands did not (Bachman et al. 1997).

College Status

Some argue that the college campus environment itself encourages heavy drinking (Toomey and Wagenaar 2002). Alcohol use is present at most college social functions, and many students view college as a place to drink excessively. Students experience greater exposure to drinking and encounter higher levels of peer drinking and positive attitudes toward alcohol as they transition from high school to college (Borsari and Carey 2001).

Although much of the research targeting emerging adulthood has focused on college students, several studies have noted that heavy drinking and related problems are pervasive among people in their early twenties, regardless of college attendance (Jackson et al. 2005;

SOCIODEMOGRAPHIC CHARACTERISTICS RELATED TO DRINKING AMONG EMERGING ADULTS

Gender

- Among 19- to 30-year-olds:
 - 45 percent of men and 26.7 percent of women reported heavy drinking in the past 2 weeks (Johnston et al. 2004).
 - 7 percent of men and 3 percent of women reported daily drinking (Johnston et al. 2004).

Race/Ethnicity

- Among emerging adults, Whites and Native Americans drink the most, African Americans and Asians drink the least, and Hispanics are in the middle range (Caetano and Kaskutas 1995).
- Drinking peaks among Whites at ages 19–22; heavy drinking peaks later and lasts longer into adulthood among African Americans and Hispanics (Caetano and Kaskutas 1995).

Marital Status and Parenthood

- Being married had a strong effect on drinking behavior after high school graduation.
 - Married women had the greatest decreases in drinking behavior. Married men had fewer increases in drinking than people in all other types of living arrangements (Bachman et al. 1997).
- Being engaged had an influence on drinking behavior similar to that of being married (Bachman et al. 1997).
- Being a parent is related to reduced alcohol use for both men and women, although a large part of this effect is a result of being married (Bachman et al. 1997).
- Most women who become pregnant eliminated their alcohol use, although most of their husbands did not (Bachman et al. 1997).
- Getting divorced led to increased drinking (Bachman et al. 1997).

College Status

- Heavy drinking and related problems are pervasive in the early twenties regardless of college attendance (Jackson et al. 2005; White et al. 2005).

- College students and nonstudents had similar quantity and frequency of drinking, number of times intoxicated, and rates of drinking problems, but college students matured out of drinking more quickly than nonstudents (White et al. 2005).
- College students had lower rates of daily drinking than their noncollege peers, but when they did drink, they tended to drink greater amounts than nonstudents (O'Malley and Johnston 2002).
- College students had higher rates of current drinking (within the last 30 days) (O'Malley and Johnston 2002).
- Rates of alcohol dependence were lower for college students than for 18- to 24-year-olds in the general population (Jackson et al. 2005).
- College students reported lower rates of heavy drinking while in high school than nonstudents, but increased their use in college to higher levels than nonstudents (Bachman et al. 1997).
- Differences in drinking between college students and nonstudents were fully accounted for by background characteristics and living arrangements (Bachman et al. 1997).

Employment

- Full-time civilian employment after high school was related to slight increases in drinking within the past 30 days and to slight decreases in heavy drinking (Bachman et al. 1997).
- Joining the military after high school was associated with greater than average increases in current drinking and heavy drinking (Bachman et al. 1997).
- Unemployed men, but not women, significantly reduced their drinking (Bachman et al. 1997).
- Homemakers reduced their current and heavy drinking, but this change can be accounted for by their marital and parental status rather than by the homemaker role (Bachman et al. 1997).

White et al. 2005). Comparing several national data sets, O'Malley and Johnston (2002) reported that college students drink less frequently than their noncollege peers (i.e., they report lower rates of daily drinking). However, when students do drink, they tend to drink in greater quantities than nonstudents. In addition, college students report higher rates of current drinking (past 30 days).

In contrast, White and colleagues (2005) found that quantity and frequency of drinking in the past year, number of times intoxicated in the past year, and rates of drinking problems (the frequency of experiencing negative consequences related to alcohol use) in the past year did not differ significantly for college students and their nonstudent peers during their early twenties (i.e., emerging adulthood) (see figures 1–3). However, noncollege drinkers reported higher levels of alcohol-related problems in late adolescence (age 18) and young adulthood (age 30) than college student drinkers. In other words,

students matured out of drinking problems more quickly than nonstudents. Rates of alcohol dependence diagnosis appear lower for college students than for 18- to 24-year-olds in the general population (Jackson et al. 2005). Further, people in their thirties who did not go to college reported a higher prevalence of heavy drinking episodes (defined as drinking six or more drinks on one occasion during the last 30 days) than people who did go to college (Muthén and Muthén 2000).

Bachman and colleagues (1997) found that college students, compared with their nonstudent peers, reported lower rates of heavy drinking while in high school but then increased their use in college to higher levels than their nonstudent peers. The authors concluded that living arrangements particularly contributed to the college effect. For example, living in dormitories increased the risks for heavy drinking, whereas living with a spouse (i.e., being married) decreased the risks. Overall, the drinking

differences between college students and nonstudents were fully accounted for by background characteristics and by where and with whom people lived.

Employment

Bachman and colleagues (1997) reported that people who obtained full-time civilian employment after high school showed a slight increase in current drinking (past 30 days) and a slight decrease in heavy drinking. In contrast, those who joined the military reported greater than average increases in current drinking and in heavy drinking. These changes persisted when other variables were controlled, suggesting that the military experience contributes to increased alcohol use. Unemployed men, but not women, significantly reduced their drinking. Homemakers also reduced their current and heavy drinking, but the authors suggest that this change was a result of their marital and parental status rather than the role of being a homemaker.

PSYCHOSOCIAL CORRELATES OF HEAVY DRINKING AMONG EMERGING ADULTS

Many psychological and social factors influence alcohol use among emerging adults. As described in this section, these factors have been studied most often in college students.

Impulsivity, Sensation-Seeking, and Risk-Taking

One of the most consistent predictors of substance use among adolescents and emerging adults is sensation-seeking, defined as the pursuit of novel and intense experiences (Arnett 2005). In fact, sensation-seeking increases as young people develop from adolescents into emerging adults. Measures of impulsivity and sensation-seeking among emerging adults have been related to higher frequency and quantity of drinking and to experiencing more negative alcohol-related consequences (Baer 2002; Jackson et al. 2005). Sensation-seeking and impulsivity also have been linked to deviant




Figure 1 Changes in alcohol use over time for college and noncollege men and women. Quantity and frequency of drinking in the past year did not differ significantly for college students and their nonstudent peers at any age during emerging adulthood.

SOURCE: White et al. 2005.

adulthood are similar to those which influence adolescent drinking, although peer influence becomes increasingly more important than parental influence as the child ages, as do freedom from social control and stress related to attaining adult roles. Thus, moving out of the constraints of high school and away from parents makes emerging adulthood a stage of the life cycle in which people are at high risk for heavy drinking and alcohol-related problems. Maladaptive drinking behavior, in turn, may delay the accomplishment of developmental milestones, creating a self-defeating cycle for some. More research is needed about the intermediate and long-term effects of alcohol use during emerging adulthood, as well as the intrapersonal factors that facilitate or impede maturation out of heavy drinking.

IMPLICATIONS FOR PREVENTION PROGRAMS AND INTERVENTIONS

Because some emerging adults will maintain or increase their problematic alcohol use over time rather than mature out of heavy drinking and related problems (Jackson et al. 2001), it is important to intervene with emerging adults before they develop long-lasting alcohol use patterns or disorders. Given that more than half of their college sample reported drinking to get drunk or "high" during their freshman year, Jackson and colleagues (2001) suggested that it is important to implement interventions prior to or upon college entry. Such interventions should focus on reducing the harms associated with heavy drinking (e.g., Marlatt et al. 1998). Universal screening is recommended to identify high-risk students and refer them to appropriate interventions. Recent advances in Internet-based screening have made it possible to screen large numbers of students for potential risk and provide them with immediate feedback on their drinking and risks, peer norms, and techniques to reduce risk. These interventions have been found to change perceived norms and reduce alcohol consumption (e.g., Neighbors et al. 2004), although more research is needed.

Several studies indicate that the nonstudent population of emerging adults is an important target for preventive interventions, especially because people in this segment of the population may be less likely to mature out of heavy drinking patterns established during adolescence (Muthén and Muthén 2000; White et al. 2005). Nonstudents' risks for alcohol-related problems in their early twenties are as high as students' risks. Unlike students, however, the risks for nonstudents appear to increase over time. This population does not have the benefits of campus health care centers or institutionally based programs that college students have. Similarly, students who do not live on campus may not have the benefits of campus substance use prevention programs (which often are designed for residents) or the protective benefits of campus organizations and peer groups. Intervening with emerging adults as they make the transition out of high school will ensure that interventions reach people who would not otherwise receive them. The period following high school graduation is an ideal time for interventions intended to prevent the problems that may result from such escalations in use, given that alcohol use increases considerably around this time (Jackson et al. 2001). Because most of the research on drinking among emerging adults has focused on college students, more research on nonstudent populations is needed to better inform the design of appropriate prevention efforts. ■

REFERENCES

- ARNETT, J.J. Emerging adulthood: A theory of development from the late teens through the twenties. *American Psychologist* 55:469–480, 2000. PMID: 10842426
- ARNETT, J.J. The developmental context of substance use in emerging adulthood. *Journal of Drug Issues* 35:235–253, 2005.
- BACHMAN, J.G.; WADSWORTH, K.N.; O'MALLEY, P.M.; ET AL. *Smoking, Drinking, and Drug Use in Young Adulthood: The Impacts of New Freedoms and New Responsibilities*. Mahwah, NJ: Lawrence Erlbaum Associates, 1997.
- BAER, J.S. Student factors: Understanding individual variation in college drinking. *Journal of Studies on Alcohol* (Suppl. 14):40–53, 2002. PMID: 12022729
- BAER, J.S.; KIVLAHAN, D.R.; AND MARLATT, G.A. High-risk drinking across the transition from high school to college. *Alcoholism: Clinical and Experimental Research* 19:54–61, 1995. PMID: 7771663
- BORSARI, B., AND CAREY, K.B. Peer influences on college drinking: A review of the research. *Journal of Substance Abuse* 13:391–424, 2001. PMID: 11775073
- BORSARI, B., AND CAREY, K.B. Descriptive and injunctive norms in college drinking: A meta-analytic integration. *Journal of Studies on Alcohol* 64:331–341, 2003. PMID: 12817821
- BULLERS, S.; COOPER, M.L.; AND RUSSELL, M. Social networks drinking and adult alcohol involvement: A longitudinal exploration of the direction of influence. *Addictive Behaviors* 26:181–199, 2001. PMID: 11316376
- CAETANO, R., AND KASKUTAS, L.A. Changes in drinking patterns among Whites, Blacks, and Hispanics, 1984–1992. *Journal of Studies on Alcohol* 56:558–565, 1995. PMID: 7475037
- CAREY, K.B., AND CORREIA, C.J. Drinking motives predict alcohol-related problems in college students. *Journal of Studies on Alcohol* 58:100–105, 1997. PMID: 8979218
- COOPER, M.L.; AGOCHA, V.B.; AND SHELDON, M.S. A motivational perspective on risky behaviors: The role of personality and affect regulatory processes. *Journal of Personality* 68:1059–1088, 2000. PMID: 11130732
- GOLDBERG, J.H.; HALPERN-FELSHER, B.L.; AND MILLSTEIN, S.G. Beyond invulnerability: The importance of benefits in adolescents' decision to drink alcohol. *Health Psychology* 21:477–484, 2002. PMID: 12211515
- GRANT, B.; DAWSON, D.; STINSON, F.; ET AL. The 12-month prevalence and trends in DSM-IV alcohol abuse and dependence: United States, 1991–1992 and 2001–2002. *Drug and Alcohol Dependence* 74:223–234, 2004. PMID: 15194200
- HINGSOON, R.; HEEREN, T.; ZAKOCS, R.; ET AL. Magnitude of alcohol-related mortality and morbidity among U.S. college students ages 18–24. *Journal of Studies on Alcohol* 63:136–144, 2002. PMID: 12033690
- JACKSON, K.M., AND SHER, K.J. Alcohol use disorders and psychological distress: A prospective state-trait analysis. *Journal of Abnormal Psychology* 112:599–613, 2003. PMID: 14674872
- JACKSON, K.M.; SHER, K.J.; GOTHAM, H.J.; AND WOOD, P.K. Transitioning into and out of large-effect drinking in young adulthood. *Journal of Abnormal Psychology* 110:378–391, 2001. PMID: 11502081
- JACKSON, K.M.; SHER, K.J.; AND PARK, A. Drinking among college students: Consumption and consequences. In: Galanter, M., ed., *Recent Developments in Alcoholism, Vol. 17: Alcohol Problems in Adolescents and Young Adults*. New York: Springer, 2005. pp. 85–117. PMID: 15789861

- JOHNSTON, L.D.; O'MALLEY, P.M.; BACHMAN, J.G.; AND SCHULENBERG, J.E. *Monitoring the Future: National Survey Results on Drug Use, 1975–2003. Vol. II: College Students and Adults Ages 19–45*. NIH Pub. No. 04–45508. Bethesda, MD: National Institute on Drug Abuse, 2004.
- JONES, B.T.; CORBIN, W; AND FROMME, K. A review of expectancy theory and alcohol consumption. *Addiction* 96:57–72, 2001. PMID: 11177520
- MARLATT, G.A.; BAER, J.S.; KIVLAHAN, D.R.; ET AL. Screening and brief intervention for high-risk college student drinkers: Results from a 2-year follow-up assessment. *Journal of Consulting and Clinical Psychology* 66:604–615, 1998. PMID: 9735576
- MUTHÉN, B.O., AND MUTHÉN, L.K. The development of heavy drinking and alcohol-related problems from ages 18 to 37 in a U.S. national sample. *Journal of Studies on Alcohol* 61:290–300, 2000. PMID: 10757140
- NEIGHBORS, C.; LARIMER, M.E.; AND LEWIS, M.A. Targeting misperceptions of descriptive norms: Efficacy of a computer-delivered personalized normative feedback intervention. *Journal of Consulting and Clinical Psychology* 72:434–447, 2004. PMID: 15279527
- O'MALLEY, P.M., AND JOHNSTON, L.D. Epidemiology of alcohol and other drug use among American college students. *Journal of Studies on Alcohol* (Suppl. 14):23–39, 2002. PMID: 12022728
- PERKINS, H.W. Surveying the damage: A review of research on consequences of alcohol misuse in college populations. *Journal of Studies on Alcohol* (Suppl. 14):91–100, 2002a. PMID: 12022733
- PERKINS, H.W. Social norms and the prevention of alcohol misuse in collegiate contexts. *Journal of Studies on Alcohol* (Suppl. 14):164–172, 2002b. PMID: 12022722
- READ, J.P.; WOOD, M.D.; KAHLER, C.W.; ET AL. Examining the role of drinking motives in college student alcohol use and problems. *Psychology of Addictive Behaviors* 17:13–23, 2003. PMID: 12665077
- SCHULENBERG, J.E., AND MAGGS, J.L. A developmental perspective on alcohol use and heavy drinking during adolescence and the transition to young adulthood. *Journal of Studies on Alcohol* (Suppl. 14):54–70, 2002. PMID: 12022730
- SCHULENBERG, J.E.; MAGGS, J.L.; AND O'MALLEY, P.M. How and why the understanding of developmental continuity and discontinuity is important: The sample case of long-term consequences of adolescent substance use. In: Mortimer, J.T., and Shanahan, M.J., eds. *Handbook of the Life Course*. New York: Kluwer Academic/Plenum Publishers, 2003. pp. 413–436.
- SHER, K.J.; WOOD, M.D.; WOOD, P.K.; AND RASKIN, G. Alcohol outcome expectancies and alcohol use: A latent variable cross-lagged panel study. *Journal of Abnormal Psychology* 105:561–574, 1996. PMID: 8952189
- SMITH, G.T.; GOLDMAN, M.S.; GREENBAUM, P.E.; AND CHRISTIANSEN, B.A. Expectancy for social facilitation from drinking: The divergent paths of high-expectancy and low-expectancy adolescents. *Journal of Abnormal Psychology* 104:32–40, 1995. PMID: 7897051
- TEMPLE, M.T., AND FILLMORE, K.M. The variability of drinking patterns and problems among young men, age 16–31: A longitudinal study. *International Journal of the Addictions* 20:1595–1620, 1986. PMID: 3879606
- TOOMEY, T.L., AND WAGENAAR, A.C. Environmental policies to reduce college drinking: Options and research findings. *Journal of Studies on Alcohol* (Suppl. 14):193–205, 2002. PMID: 12022725
- WHITE, H.R.; JOHNSON, V.; AND BUYSKE, S. Parental modeling and parenting behavior effects on offspring alcohol and cigarette use: A growth curve analysis. *Journal of Substance Abuse* 12:287–310, 2000. PMID: 11367605
- WHITE, H.R.; LABOUIE, E.W.; AND PAPADARATSAKIS, V. Changes in substance use during the transition to adulthood: A comparison of college students and their noncollege age peers. *Journal of Drug Issues* 35:281–306, 2005.