

Treatment Services Review (TSR)

BRIEF DESCRIPTION

The TSR is an interview used to gather information about specific services provided to patients attending substance abuse and other types of treatment programs. The TSR focuses on services for seven potential problem areas: medical status, employment and support, drug use, alcohol use, legal status, family/social status, and psychiatric status. Patients are asked about the services that they received in the past week either in a program or outside of a program through referral.

TARGET POPULATION

- Adults
- Adolescents

ADMINISTRATIVE ISSUES

Number of items: *56 items*

Number of subscales: *7*

Format(s): Pencil-and-paper self-administered interview

Interview

Observation

Computer self-administered

Other

Time required for administration: *5 to 7 minutes*

Administered by: *Technician*

Training required for administration: *Training required*

A manual is available for self-training and to permit individual tailoring of items to meet specific measurement needs.

SCORING

Time required to score/interpret: *1 minute*

Scored by: *Technician*

Scoring key? yes no

Computerized scoring or interpretation available? yes no

Norms available? yes no

Normed on the following treatment groups: hospital, residential, intensive outpatient, outpatient, methadone maintenance, and dual diagnosis

PSYCHOMETRICS	<p>Have reliability studies been done? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no</p> <p>What measure(s) of reliability was used?</p> <p><input checked="" type="checkbox"/> Test-retest</p> <p><input type="checkbox"/> Split half</p> <p><input checked="" type="checkbox"/> Internal consistency</p> <p>Have validity studies been done? <input checked="" type="checkbox"/> yes <input type="checkbox"/> no</p> <p>What measures of validity have been derived?</p> <p><input type="checkbox"/> Content</p> <p><input checked="" type="checkbox"/> Criterion (predictive, concurrent, "postdictive")</p> <p><input checked="" type="checkbox"/> Construct</p>
CLINICAL UTILITY OF INSTRUMENT	<p>The TSR can be used to describe the types of services patients receive in a treatment program. In this way it is possible to differentiate types of programs and to determine whether the patient problems presented at admission have been addressed during treatment.</p>
RESEARCH APPLICABILITY	<p>The TSR has been used to evaluate different forms of experimental interventions to ensure that they are delivered in the manner originally specified and that they differ from the control or comparison conditions. In addition, the TSR can be used in studies designed to match patients to the treatment programs or services that benefit them the most.</p>
SOURCE, COST AND COPYRIGHT ISSUES	<p>Copyright: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (<i>Public domain</i>)</p> <p>Cost: <i>None</i></p> <p>Source: A. Thomas McLellan, PhD. Building #7 PVAMC University Avenue Philadelphia, PA 19104</p> <p>Cost/Source of computerized scoring: <i>A data entry disk is provided with the training materials.</i></p>
SOURCE REFERENCE	<p>McLellan A.T., Alterman A.I., Cacciola, J., Metzger D. & O'Brien, C.P. (1992). A new measure of substance abuse treatment: Initial studies of the Treatment Service Review. <i>Journal of Nervous and Mental Disease, 180</i>, 101-110.</p>
SUPPORTING REFERENCES	<p>McLellan, A.T., Levine, M., Hagan T.A., Meyers, K., Randall, M., Gould, F., Bencivengo, M. & Durell, J. (1999). Does clinical case management improve outpatient addiction treatment? <i>Drug and Alcohol Dependence, 55</i>, 91-103.</p> <p>McLellan, A.T., Hagan, T.A., Meyers, K., Levine, M., Gould, F., Bencivengo, M., Durell, J. & Jaffe, J. (1998). Supplemental social services improve outcomes in public addiction treatment. <i>Addiction, 93(10)</i>, 1489-1499.</p>